

**Notice of Allowability**

Application No.

10/696,043

Examiner

Jennifer T. Nguyen

Applicant(s)

YAMAMOTO ET AL.

Art Unit

2629

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 11/14/06.
2. ☒ The allowed claim(s) is/are 1-32.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
RICHARD HJERPE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600

Jennifer T Nguyen  
Examiner  
Art Unit: 2629

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Robert Wu on 1/26/07.

In claim 5, the phrase "An illumination device according to claims 1, 2, and 4" is changed to -- An illumination device according to any of claims 1, 2, or 4--.

In claim 6, the phrase "An illumination device according to any of claims 1 to 5" is changed to -- An illumination device as in one of claims 1-4--.

In claim 7, the phrase "An illumination device according to claims 2 and 3" is changed to -- An illumination device according to any of claims 2 or 3 --.

In claim 9, the phrase "An illumination device according to claims 4, 5, and 6" is changed to -- An illumination device according to claim 4 --.

In claim 10, the phrase "An illumination device according to any of claims 1-5" is changed to -- An illumination device as in one of claims 1-4--.

In claim 11, the phrase "An illumination device according to claims 2 and 3" is changed to -- An illumination device according to any of claims 2 or 3 --.

In claim 13, the phrase "An illumination device according to any of claims 2, 4, and 5" is changed to -- An illumination device according to any of claims 2 or 4 --.

Art Unit: 2629

In claim 15, the phrase “An illumination device according to claims 13 and 14” is changed to -- An illumination device according claim 14 --.

In claim 16, the phrase “An illumination device according to claims 13, 14, and 15” is changed to -- An illumination device according to claim 14 --.

In claim 17, the phrase “An illumination device according to any of claims 1 to 12” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, or 12 --.

In claim 18, the phrase “An illumination device according to any of claims 1 to 5 and 13 to 16” is changed to -- An illumination device as in any one of claims 1-4, 14, or 16 --.

In claim 22, the phrase “An illumination device according to any of claims 1 to 21” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

In claim 23, the phrase “An illumination device according to any of claims 1 to 21” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

In claim 24, the phrase “An illumination device according to any of claims 1 to 23” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

In claim 25, the phrase “An illumination device according to any of claims 1 to 24” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

In claim 26, the phrase “An illumination device according to any of claims 1 to 25” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

In claim 27, the phrase “An illumination device according to any of claims 1 to 25” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

In claim 28, the phrase “An illumination device according to any of claims 1 to 25” is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

Art Unit: 2629

In claim 29, the phrase "An illumination device according to any of claims 1 to 25" is changed to -- An illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.

In claim 30, the phrase "said illumination device according to any of claims 1 to 29" is changed to -- said illumination device as in any one of claims 1-4, 8, 9, 12, 14, 16, or 21--.


In claim 32, the phrase "An illumination device according to claims 30 and 31" is changed to -- An illumination device according to claim 30 --.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer T. Nguyen whose telephone number is 571-272-7696. The examiner can normally be reached on Mon-Fri: 9:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe can be reached on 571-272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jennifer Nguyen  
1/27/07



RICHARD HJERPE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600